

12V LFP 200AH COMPACT LITHIUM **BATTERY**

ETQ Document	SDS-00004
Rev No.	03
ast review Date	01/09/2023
Page	1 of 9

F

PRODUCT IDENTIFICATION Section 1.

Product Name Century Yuasa 12V LFP 200AH Compact Lithium Battery

Other Names Lithium-ion batteries (including lithium-ion polymer batteries)

Recommended Use of the Chemical and Restrictions on Use

Energy storage

Details of Manufacturer

Distributed in Australia by: Century Yuasa Batteries 37-65 Cobalt Street Carole Park. QLD. 4300.

Century Yuasa Batteries 259 Church Street

Onehunga. Auckland 1061

Distributed in New Zealand by:

0800 93 93 93

Emergency Telephone

Number

or Importer

07 3361 61 61

Section 2. HAZARD(S) IDENTIFICATION

HAZARDOUS CHEMICAL. DANGEROUS GOODS. According to the Model WHS Regulations and the ADG Code.

GHS Classification Acute Toxicity (Oral) Category 3, Skin Corrosion/Irritation Category 2, Sensitisation (Skin) Category 1, Serious Eye

Damage/Eye Irritation, Category 1, Germ Cell Mutagenicity Category 1A, Specific Target Organ Toxicity -

Repeated Exposure Category 2, Hazardous to the Aquatic

Environment Long-Term Hazard Category 2

GHS Label Elements



Signal Word **DANGER**

IN THE EVENT OF INTERNAL CONTENTS EXPOSED

Hazard Statement(s) H301 Toxic if swallowed. H315 Causes skin irritation

May cause an allergic skin reaction. H317 H318 Causes serious eye damage. H340 May cause genetic defects.

H373 May cause damage to organs through prolonged or repeated exposure.

Toxic to aquatic life with long lasting effects. H411

IN THE EVENT OF INTERNAL CONTENTS EXPOSED

Precautionary P101 If medical advice is needed, have product container or label at hand

Statement(s) P102 Keep out of reach of children

Read carefully and follow all instructions General P103

Obtain special instructions before use. Precautionary P201

P260 Do not breathe dust/fume. Statement(s)

Prevention P264 Wash all exposed external body areas thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves, protective clothing, eye protection and face protection.

P273 Avoid release to the environment.

Contaminated work clothing should not be allowed out of the workplace. P272

Precautionary P301+P310 Statement(s) Response

P305+P351+P338

IF SWALLOWED: Immediately call a POISON CENTER/doctor/physician/first aider. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Get medical advice/ attention.

P308+P313 P330 Rinse mouth.

P302+P352 IF ON SKIN: Wash with plenty of water and soap.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P362+P364 P391 Take off contaminated clothing and wash it before reuse.

Collect spillage.

Precautionary Statement(s)

Storage

P405

Store locked up

Precautionary P501 Dispose of contents/container to authorised hazardous or special waste collection

Statement(s) point in accordance with any local regulation Disposal



12V LFP 200AH COMPACT LITHIUM BATTERY

ETQ Document	SDS-00004
Rev No.	03
Last review Date	01/09/2023
Page	2 of 9

Section 3. COMPOSITION AND INFORMATION ON INGREDIENTS

Ingredient	Identification	Content % weight
Lithium Ion Phosphate (LiFePO4)	15365-14-7	23-24
Iron (Fe)	7439-89-6	14-15
Silica amorphous (xSiO2.yH2O)	112926-00-8	14
Copper (Cu)	7440-50-8	4-5
Graphite (C24X12)	7782-42-5	10-12
Aluminium (AI)	7429-90-5	5-10
ethyl methyl carbonate	623-53-0	6-8
ethylene carbonate	96-49-1	5-7
styrene/ butadiene/ acrylonitrile copolymer (C ₁₅ H ₁₇ N)	9003-56-9	3
polyethylene	9002-88-4	1-2
lithium fluorophosphate	21324-40-3	1-2
Ingredients determined not to be hazardous	N/A	6-11

Section 4. FIRST AID MEASURES

DESCRIPTION OF FIRST AID MEASURES

The chemicals in this product are contained in a sealed package. Exposure to the contents will not occur unless the battery leaks, is exposed to high temperatures or is mechanically, physically, or electrically abused.

Eye Contact

Generally, not applicable.

If this product comes in contact with eyes:

- Wash out immediately with water.
- If irritation continues, seek medical attention.
- Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

Skin Contact

Generally, not applicable.

- If skin or hair contact occurs:
- Flush skin and hair with running water (and soap if available).
 Seek medical attention in event of irritation.

Inhalation

Generally not applicable.

- If fumes, aerosols or combustion products are inhaled remove from contaminated area.
- Other measures are usually unnecessary.

Ingestion

Generally not applicable.

Not considered a normal route of entry.

- If swallowed do NOT induce vomiting.
- If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration.
- Observe the patient carefully.
- Never give liquid to a person showing signs of being sleepy or with reduced awareness, i.e., becoming unconscious.
- Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink. Seek medical advice.

Symptoms Caused by Exposure

Treat symptomatically.

Medical Attention and Special Treatment

No special instructions specified.

Section 5. FI	RE FIGHTING MI	EASURES					
Suitable Extinguishing Equipment	Water	CO ₂	Dry Chemical Powder	Foam	BCF/ Where regulations Permit	Class D Powder	Li-Ion Battery
	<u> </u>	√	✓	×	✓	✓	✓

Specific Hazards Arising from the Chemical

Slight hazard when exposed to heat, flame and oxidisers.



12V LFP 200AH COMPACT LITHIUM **BATTERY**

ETQ Document	SDS-00004
Rev No.	03
Last review Date	01/09/2023
Page	3 of 9

Fire/Explosion Hazard

Non combustible.

Not considered to be a significant fire risk.

Heating may cause expansion or decomposition leading to violent rupture of containers.

May emit acrid smoke. May emit corrosive and poisonous fumes.

Articles and manufactured articles may constitute a fire hazard where polymers form their outer layers or where

combustible packaging remains

in place.

Certain substances, found throughout their construction, may degrade or become volatile when heated to high

temperatures. This may create a secondary hazard

Hazchem Code

ACCIDENTAL RELEASE MEASURES Section 6.

Personal Precautions, Protective Equipment and Emergency **Procedures**

In case of rupture, avoid contact with skin, eyes and clothing. Ensure adequate ventilation. Ise personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Refer to protective measures listed in sections 7 and 8.

Environmental Precautions

Prevent product from contaminating soil and from entering sewers or waterways.

Methods and Materials for Containment and Cleaning Up

- Clean up all spills immediately.
- Avoid contact with skin and eyes.
- Place in suitable containers for disposal.

Major Spills

- Clean up all spills immediately.
- Wear protective clothing, safety glasses, dust mask, gloves.
- Secure load if safe to do so. Bundle/collect recoverable product.
- Use dry clean up procedures and avoid generating dust.
- Vacuum up (consider explosion-proof machines designed to be grounded during storage and use).
- Water may be used to prevent dusting.
- Collect remaining material in containers with covers for disposal.
- Flush spill area with water.

Section 7. HANDLING AND STORAGE

Precautions for Safe Handling

- Do not connect the positive terminal to the negative terminal with electrical wire or chain. Avoid polarity reverse connection when installing the battery to an instrument.
- Do not wet the battery with water, seawater or acid; or expose to strong oxidizer.
- Do not damage or remove the external tube.
- Keep the battery away from heat and fire.
- Do not disassemble or reconstruct the battery; or solder the battery directly.
- Do not give a mechanical shock or deform.
- Do not use unauthorized charger or other charging method.
- Use good occupational work practice.
- Observe manufacturer's storage and handling recommendations contained within this SDS.
- Avoid physical damage to containers.

Other information

- Keep dry.
- Store under cover.
- Protect containers against physical damage.
- Observe manufacturer's storage and handling recommendations contained within this SDS.
- Keep out of reach of children.
- Store out of direct sunlight
- Store away from incompatible materials.

Conditions for Safe Storage

Suitable container

- Generally packaging as originally supplied with the article or manufactured item is sufficient to protect against physical hazards.
- If repackaging is required ensure the article is intact and does not show signs of wear. As far as is practicably possible, reuse the original packaging or something providing a similar level of protection to both the article and the handler.

Storage Incompatibility

✓= May be stored together

()= May be stored together with specific preventions



x= Must not be stored together















12V LFP 200AH COMPACT LITHIUM BATTERY

ETQ Document	SDS-00004
Rev No.	03
_ast review Date	01/09/2023
Page	4 of 9

Exposure Control Measures - This product presents no health hazards to the user when used according to label directions for its intended purposes

Source	Ingredient	Material name	TWA	STEL	peak	Notes
Australia Exposure Standards	silica amorphous	Silica - Amorphous: Diatomaceous earth (uncalcined)	10 mg/m3	Not Available	Not Available	This value is for inhalable dust containing no asbestos and < 1% crystalline silica.
Australia Exposure Standards	silica amorphous	Silica - Amorphous: Fume (thermally generated) (respirable dust)	2 mg/m3	Not Available	Not Available	Containing no asbestos and < 1% crystalline silica.
Australia Exposure Standards	silica amorphous	Silica, fused	0.05 mg/m3	Not Available	Not Available	Not Available
Australia Exposure Standards	silica amorphous	Silica - Amorphous: Silica gel	10 mg/m3	Not Available	Not Available	This value is for inhalable dust containing no asbestos and < 1% crystalline silica.
Australia Exposure Standards	silica amorphous	Silica - Amorphous: Precipitated silica	10 mg/m3	Not Available	Not Available	This value is for inhalable dust containing no asbestos and < 1% crystalline silica.
Australia Exposure Standards	silica amorphous	Silica - Amorphous: Fumed silica (respirable dust)	2 mg/m3	Not Available	Not Available	Not Available
Australia Exposure Standards	graphite	Graphite (all forms except fibres) (respirable dust) (natural & synthetic)	3 mg/m3	Not Available	Not Available	Containing no asbestos and < 1% crystalline silica.
Australia Exposure Standards	aluminium	Aluminium (metal dust)	10 mg/m3	Not Available	Not Available	Not Available
Australia Exposure Standards	aluminium	Aluminium (welding fumes) (as Al)	5 mg/m3	Not Available	Not Available	Not Available
Australia Exposure Standards	aluminium	Aluminium, pyro powders (as AI)	5 mg/m3	Not Available	Not Available	Not Available
Australia Exposure Standards	copper	Copper, dusts & mists (as Cu)	1 mg/m3	Not Available	Not Available	Not Available
Australia Exposure Standards	copper	Copper (fume)	0.2 mg/m3	Not Available	Not Available	Not Available

Ingredient	TEEL-1	TEEL-2	TEEL-3
iron	3.2 mg/m3	35 mg/m3	150 mg/m3
silica amorphous	18 mg/m3	200 mg/m3	1,200 mg/m3
silica amorphous	18 mg/m3	100 mg/m3	630 mg/m3
silica amorphous	120 mg/m3	1,300 mg/m3	7,900 mg/m3
silica amorphous	45 mg/m3	500 mg/m3	3,000 mg/m3
silica amorphous	18 mg/m3	740 mg/m3	4,500 mg/m3
graphite	6 mg/m3	330 mg/m3	2,000 mg/m3
ethylene carbonate	30 mg/m3	330 mg/m3	2,000 mg/m3
copper	3 mg/m3	33 mg/m3	200 mg/m3
polyethylene	16 mg/m3	170 mg/m3	1,000 mg/m3
lithium fluorophosphate	7.5 mg/m3	83 mg/m3	500 mg/m3

Biological Monitoring

Not required

Engineering Controls

- General exhaust is adequate under normal operating conditions.
- Articles or manufactured items, in their original condition, generally don't require engineering controls during handling or in normal use.
- Exceptions may arise following extensive use and subsequent wear, during recycling or disposal operations where substances, found in the article, may be released to the environment.

Personal Protection



Respirator Type

- Not normally required with normal use.
- OTHERWISE: A-AUS P2



Clothing

- Not normally required with normal use.
- In case of battery leaking, protective clothing.



Footwear

- None under normal operating conditions.
- OTHERWISE: rubber Gloves



Eye Protection

- None under normal operating conditions.
- OTHERWISE: Safety glasses.



Glove Type

- None under normal operating conditions.
- OTHERWISE: Rubber Gloves.

Section 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Lithium-ion battery, odorless; Insoluble in water.

 Odour
 Not Available
 Lower explosive limits
 Not Applicable

 Odour threshold
 Not Available
 Vapour pressure (kPa)
 Not Applicable

•



12V LFP 200AH COMPACT LITHIUM **BATTERY**

SDS-00004 **ETQ Document** Rev No. 01/09/2023 Last review Date Page 5 of 9

рН Not Applicable Vapour density (Air = 1) Not Applicable Melting point/ Relative density (Water = 1) Not Applicable Not Applicable freezing point (°C) Initial boiling point and boiling range Not Available Solubility in water (g,L) **Immiscible** (°C) Partition coefficient: n-Not Available Flash point Not Applicable octanol/water **Evaporation rate** Not Applicable Auto-ignition temperature Not Applicable

Flammability Not Applicable Decomposition temperature (°C) Not Available

Upper explosive Not Applicable Viscosity Not Applicable limits

Section 10. STABILITY AND REACTIVITY

Product is Not available considered stable Reactivity Chemical stability under recommended storage conditions Heating, mechanical Possibility of None under normal process. Conditions to avoid abuse and electrical hazardous reactions abuse.

Incompatible Hazardous decomposition products Carbon oxides materials

TOXICOLOGICAL INFORMATION ACUTE EFFECTS

No adverse health effects expected if the product is handled in accordance with this safety data sheet and the product label.

Symptoms or effects that may arise if the product ruptures are:-

Inhalation of vapours or fumes released due to heat or a large number of leaking batteries may Inhaled

cause respiratory and eye irritation

Ingestion Toxic effects may result from the accidental ingestion of the material; animal experiments indicate

that ingestion of less than 40 gram may be

fatal or may produce serious damage to the health of the individual.

Lithium, in large doses, can cause dizziness and weakness. If a low salt diet is in place, kidney

damage can result.

Acute toxic responses to aluminium are confined to the more soluble forms.

Ingestion of finely divided carbon may produce gagging and constipation. Aspiration does not appear

to be a concern as the material is generally

regarded as inert and is often used as a food additive.

A metallic taste, nausea, vomiting and burning feeling in the upper stomach region occur after

ingestion of copper and its derivatives. The

vomitus is usually green/blue and discolours contaminated skin.

As absorption of phosphates from the bowel is poor, poisoning this way is less likely. Effects can

include vomiting, tiredness, fever, diarrhoea, low

blood pressure, slow pulse, cyanosis, spasms of the wrist, coma and severe body spasms.

Skin contact This material can cause inflammation of the skin on contact in some persons.

The material may accentuate any pre-existing dermatitis condition

Though considered non-harmful, slight irritation may result from contact because of the abrasive

nature of the aluminium oxide particles. Thus it may cause itching and skin reaction and inflammation.

The diepoxide of butadiene has been reported to cause mild effect of causing skin tumours in mice

when applied topically on its skin.

Irritation and skin reactions are possible with sensitive skin

Open cuts, abraded or irritated skin should not be exposed to this material

Exposure to copper, by skin, has come from its use in pigments, ointments, ornaments, jewellery,

dental amalgams and IUDs (intra-uterine

devices), and in killing fungi and algae. Although copper is used in the treatment of water in

swimming pools and reservoirs, there are no reports

of toxicity from these applications.

Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic

injury with harmful effects. Examine the skin

prior to the use of the material and ensure that any external damage is suitably protected.

If applied to the eyes, this material causes severe eye damage.

Eye



12V LFP 200AH COMPACT LITHIUM BATTERY

ETQ Document SDS-00004

Rev No. 03

Last review Date 01/09/2023

Page 6 of 9

Eyes exposed to carbon particulates may be liable to irritation and burning. These can remain in the eye causing inflammation lasting weeks, and can cause permanent dark dotty discolouration. Copper salts, in contact with the eye, may produce inflammation of the conjunctiva, or even ulceration and cloudiness of the cornea.

Chronic effects

Skin contact with the material is more likely to cause a sensitisation reaction in some persons compared to the general population.

Animal testing shows long term exposure to aluminium oxides may cause lung disease and cancer, depending on the size of the particle. The smaller the size, the greater the tendencies of causing harm

Amorphous silicas generally are less hazardous than crystalline silicas, but the former can be converted to the latter on heating and subsequent cooling. Inhalation of dusts containing crystalline silicas may lead to silicosis, a disabling lung disease that may take years to develop. Exposure to large doses of aluminium has been connected with the degenerative brain disease

Prolonged or repeated inhalation of dust may cause in lung disease. Graphite workers have reported symptoms of headaches, coughing, depression, low appetite, difficult breathing and black sputum. Workers suffering from this have generally worked in the industry for long periods,

(10 years or more), although some cases have been reported after as little as four years. Lithium compounds can affect the nervous system and muscle. This can cause tremor, incoordination, spastic jerks and very brisk reflexes.

There is insufficient evidence to suggest that exposure to carbon black causes increased susceptibility to cancer or other ill effects. Some lung changes can occur after a prolonged period of exposure as well as increased strain on the right side of the heart.

Soluble silicates do not exhibit sensitizing potential. Testing in bacterial and animal experiments have not shown any evidence of them causing mutations or birth defects.

For copper and its compounds (typically copper chloride):

Acute toxicity: There are no reliable acute oral toxicity results available. Animal testing shows that skin in exposure to copper may lead to

hardness of the skin, scar formation, exudation and reddish changes. Inflammation, irritation and injury of the skin were noted.

Repeat dose toxicity: Animal testing shows that very high levels of copper monochloride may cause anaemia.

Genetic toxicity: Copper monochloride does not appear to cause mutations in vivo, although chromosomal aberrations were seen at very high concentrations in vitro.

Cancer-causing potential: There was insufficient information to evaluate the cancer-causing activity of copper monochloride.

Occupational exposure to 1,3-butadiene, enhanced or caused cancer at different body sites with significant associated mortality, in animal testing and on the basis of human data. The predominant tumours are lymphomas, cancers of the testes, stomach and intestines, breast, thyroid, pancreas, throat and womb.

Chronic excessive intake of iron have been associated with damage to the liver and pancreas. People with a genetic disposition to poor control over iron are at an increased risk.

Sodium phosphate dibasic can cause stones in the kidney, loss of mineral from the bones and loss of thyroid gland function.

Some evidence exists that this material can cause serious damage if one is exposed to it for long periods. It can be assumed that it contains a substance which can produce severe defects.

Acute Toxicity Skin Irritation / Corrosion

Serious Eye Damage / Irritation

Respiratory Or Skin Sensitisation

Alzheimer's Disease.

Mutagenicity

Carcinogenicity

Reproductivity

Stot - Single Exposure

Stot - Repeated As Exposure

Aspiration Hazard

✓= Data required to make classification available
X= Data either not available or does not fill the criteria for classification

Section 12. ECOLOGICAL INFORMATION Degradability Ingredient Persistence: Water/Soil Persistence: Air silica amorphous LOW LOW ethyl methyl carbonate HIGH HIGH ethylene carbonate HIGH HIGH polyethylene LOW LOW **Bio-accumulative** Ingredient Bioaccumulation **Potential** silica amorphous LOW (LogKOW = 0.5294)LOW (LogKOW = 0.7247)ethyl methyl carbonate LOW (LogKOW = -0.3388)ethylene carbonate LOW (LogKOW = 1.2658) polyethylene Mobility **Mobility in Soil** Ingredient LOW (KOC = 23.74) silica amorphous ethyl methyl carbonate LOW (KOC = 15.22) ethylene carbonate LOW (KOC = 9.168) polyethylene LOW (KOC = 14.3)



12V LFP 200AH COMPACT LITHIUM **BATTERY**

ETQ Document	SDS-00004
Rev No.	03
Last review Date	01/09/2023
Page	7 of 9

Section 13. DISPOSAL CONSIDERATIONS

Safe Handling & Disposal Recycle wherever possible or consult manufacturer for recycling op

Consult State Land Waste Management Authority for disposal.

Refer to section 15 **Environmental Regulations**

Section 14. TRANSPORT INFORMATION

REGULATED FOR TRANSPORT OF DANGEROUS GOODS ADG, IATA and IMDG

Labels Required







Land and Sea Transport

Marine Pollutant Yes **Hazchem Code** 2Y

Land Transport

3480 **UN Number**

Proper Shipping Name Lithium ion batteries (including lithium-ion polymer batteries)

Transport Hazard Class Class

Sub-risk Not Applicable

Packing Group Not Applicable

Environmental Hazards for

Transport Purposes

Environmentally hazardous

Special Precautions for

User

Special Provisions Limited Quantity

Air Transport

UN Number 3480

Proper Shipping Name Lithium ion batteries (including lithium-ion polymer batteries)

Transport Hazard Class Class

> Not Applicable Sub-risk

Packing Group Not Applicable

Environmental Hazards for

Transport Purposes

Environmentally hazardous

ERG Code Special Provisions

A88 A99 A154 A164 A183 A201 A206 A213 A331 A334 A802

188 230 310 348 376 377 384 387 390

Cargo Only Packing Instructions See 965 Cargo Only Maximum Qty / Pack See 965 Passenger and Cargo Packing Forbidden

Instructions

Passenger and Cargo Maximum Forbidden

Qty / Pack

Passenger and Cargo Limited Forbidden

Quantity Packing Instructions

Forbidden Passenger and Cargo Limited

Maximum Qty / Pack

Sea Transport

3480 **UN Number**

Proper Shipping Name Lithium ion batteries (including lithium-ion polymer batteries)

Transport Hazard Class Class

Not Applicable Sub-risk

Packing Group Not Applicable

Environmental Hazards for **Transport Purposes**

Environmentally hazardous

Special Precautions for

FMS Number F-A S-I

User

Special Provisions 188 230 310 348 376 377 384 387

Limited Quantities 0

Section 15. REGULATORY INFORMATION



12V LFP 200AH COMPACT LITHIUM BATTERY

ETQ Document SDS-00004

Rev No. 03

Last review Date 01/09/2023

Page 8 of 9

lithium iron phosphate is found on the following regulatory lists

Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) Schedule 4
Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) Schedule 5
Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) Schedule 6
International WHO List of Proposed Occupational Exposure Limit (OEL) Values for Manufactured Nanomaterials (MNMS)

iron is found on the following regulatory lists

Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) Schedule 2 Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) Schedule 4 Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) Schedule 5 Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) Schedule 6 Australian Inventory of Industrial Chemicals (AIIC)

International WHO List of Proposed Occupational Exposure Limit (OEL) Values for Manufactured - Nanomaterials (MNMS)

silica amorphous is found on the following regulatory lists

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals Australia Model Work Health and Safety Regulations - Hazardous chemicals (other than lead)

requiring health monitoring

Australian Inventory of Industrial Chemicals (AIIC)

Chemical Footprint Project - Chemicals of High Concern List

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs International WHO List of Proposed Occupational Exposure Limit (OEL) Values for Manufactured Nanomaterials (MNMS)

graphite is found on the following regulatory lists

Australian Inventory of Industrial Chemicals (AIIC)

International WHO List of Proposed Occupational Exposure Limit (OEL) Values for Manufactured

Nanomaterials (MNMS)

aluminium is found on the following regulatory lists

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals

Australian Inventory of Industrial Chemicals (AIIC)

International WHO List of Proposed Occupational Exposure Limit (OEL) Values for Manufactured Nanomaterials (MNMS)

ethyl methyl carbonate is found on the following regulatory lists

Not Applicable

ethylene carbonate is found on the following regulatory lists

Australian Inventory of Industrial Chemicals (AIIC)

copper is found on the following regulatory lists

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) Schedule 4

Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) Schedule 5
Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) Schedule 6
Australian Inventory of Industrial Chemicals (AIIC)

International WHO List of Proposed Occupational Exposure Limit (OEL) Values for Manufactured Nanomaterials (MNMS)

styrene/ butadiene/ acrylonitrile copolymer is found on the following regulatory lists

Australian Inventory of Industrial Chemicals (AIIC)

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs International WHO List of Proposed Occupational Exposure Limit (OEL) Values for Manufactured Nanomaterials (MNMS)

polyethylene is found on the following regulatory lists

Australian Inventory of Industrial Chemicals (AIIC)

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs International WHO List of Proposed Occupational Exposure Limit (OEL) Values for Manufactured Nanomaterials (MNMS)

lithium fluorophosphate is found on the following regulatory lists

Australian Inventory of Industrial Chemicals (AIIC)

International WHO List of Proposed Occupational Exposure Limit (OEL) Values for Manufactured Nanomaterials (MNMS)

Section 16. ANY OTHER RELEVANT INFORMATION				
Revision Information		1	Date	October 2022
Abbreviations		l	- L	
PC-TWA:	Permissible C	oncentration-Time Weig	hted Average	
PC-STEL:	Permissible C	Permissible Concentration-Short Term Exposure Limit		
IARC:	International A	International Agency for Research on Cancer		
STEL:	Short Term Exposure Limit			
TEEL:	Temporary Emergency Exposure Limit。			
IDLH:	Immediately Dangerous to Life or Health Concentrations			
ES:	Exposure Standard			
OSF:	Odour Safety Factor			
NOAEL:	No Observed Adverse Effect Level			



BATTERY

ETQ Document	SDS-00004
Rev No.	03
Last review Date	01/09/2023
Page	9 of 9

LOAEL:	Lowest Observed Adverse Effect Level		
TLV:	Threshold Limit Value		
LOD:	Limit Of Detection		
OTV:	Odour Threshold Value		
BCF:	Bio-Concentration Factors		
BEI:	Biological Exposure Index		
AIIC:	Australian Inventory of Industrial Chemicals		
DSL:	Domestic Substances List		
NDSL:	Non-Domestic Substances List		
EINECS:	European Inventory of Existing Commercial chemical Substances		
ELINCS:	European List of Notified Chemical Substances		
NLP:	No-Longer Polymers		
ENCS:	Existing and New Chemical Substances Inventory		
NZIoC:	New Zealand Inventory of Chemicals		
TSCA:	Toxic Substances Control Act		
NCI:	NCI: National Chemical Inventory		
References			

IATA Lithium Battery Guidance Document (2021)
IMDG Code (incorporating amendment 39-18)
SafeWork Australia Workplace Exposure Standards for Airborne Contaminants (19 December 2019)
WorkSafe New Zealand Workplace exposure standards and biological exposure indices Ed 12-1 (November 2020)

ACGIH Threshold Limit Values https://www.osha.gov/annotated-pels/note (accessed May 2021)