LAWN & GARDEN BATTERIES





LAWN & GARDEN

Power and performance from season to season.

Century EverRide Lawn & Garden batteries are the perfect partner for your ride-on mower! The EverRide range represents the latest in small engine starting technology for ride-on mowers, personal watercraft and generators. Available in both maintainable and maintenance free options, they're built tough to handle New Zealand's harsh climate and operating conditions.



Century Batteries, designed for New Zealand conditions

Century Batteries is part of the Century Yuasa group, New Zealand's leading battery supplier. Our reputation for quality and innovation has been refined and demonstrated over many decades.

In this time we have developed the engineering expertise and technical know-how to ensure we deliver a range of superior quality batteries better suited to New Zealand's diverse climate and tough conditions.



Lawn & Garden



EverRide Maintenance Free Series

Century EverRide Maintenance Free batteries are developed from some of the most advanced technical resources, and built tough to deliver superior starting power and performance in constant stop start applications.

- ✓ Maintenance free design sealed to protect against dirt and dust ingress
- ✓ Calcium technology for lower self-discharge and longer life
- ✓ Platelock™ technology providing shock and vibration resistance

EverRide Maintainable Series

Engineered to protect against acid seepage, corrosion and vibration damage, Century EverRide maintainable batteries incorporate robust internal components to deliver dependable starting power and reliable performance in constant stop start applications.

- ✓ Low maintenance design allows easy top up of electrolyte for extended service life
- Robust internal components for improved deep discharge resistance.
- Strong, durable antimonial cast plates for longer life.





DEPENDABLE STARTING POWER



LOW SELF DISCHARGE




ADDED
STRENGTH &
ENDURANCE




BUILT TO COMBAT VIBRATION

ITEM ID	ВАТТЕRY ТУРЕ	WARRANTY	VOLTS	CCA -18°C	RC @ 25°C	AH @ 20HR	[L L EASURE	TH v		POLARITY	WEIGHT (KG)	TERMINAL TYPE	HOLD	SPECIAL FEATURES
LAWN & GARDEN															
660102	U1 MF	12	12	330	50	32	195	127	155	182	D	7.8	LUG	-	CH, CV, FA, MF, MR, PL, VR
660103	U1R MF	12	12	330	50	32	195	127	155	182	С	7.8	LUG	-	CH, CV, FA, MF, MR, PL, VR
660100	12N24-3	12	12	200	40	24	185	125	160	178	С	7.4	LUG	-	LM
660101	12N24-4	12	12	200	40	24	185	125	160	178	D	7.4	LUG	-	LM

Cell Assembly Layout





Terminal Types

LUG TERMINAL (LUG)



Special Features Glossary

СН	Carry Handles	FA	Flame Arrestor	MF	Maintenance Free	PL	Platelock™ Technology
CV	Central Venting	LM	Low Maintenance	MR	Mud Rack	VR	Vibration Resistant

For more information on Century's range of products and services, contact your nearest Century sales office on 0800 93 93 93 or visit centurybatteries.co.nz

Head Office

259 Church Street, Onehunga, Auckland 1061

Auckland

149 Captain Springs Road, Onehunga, Auckland 1061

Whangarei

Unit 7, 7-11 Nell Place, Whangarei 0110

Hamilton

75 Colombo Street, Frankton, Hamilton 3204

Tauranga

Unit 1, 76 Koromiko Street, Judea, Tauranga 3110

Napier

44 Holden Street, Onekawa Industrial Estate, Napier 4110

New Plymouth

14 Mustang Drive, Bell Block, New Plymouth 4312

Palmerston North

449 Tremaine Avenue, Takaro Palmerston North 4412

Wellington

453 Hutt Road, Alicetown, Lower Hutt 5010,

Nelson

6/38 Estuary Place, Richmond, Nelson 7020

Christchurch

485A Waterloo Road, Islington, Christchurch 8042

Dunedin

33 Devon Street, Central Dunedin, Dunedin 9016

Disclaimer: Century Yuasa Batteries Pty Ltd has compiled the data appearing in this guide from a variety of sources, including automobile manufacturer and unpublished information sources. Although the company believes these sources to be generally reliable, corroboration for some of the data has been either impossible or impractical to obtain. The company believes that the data presented is generally accurate for the purpose for which it is presented, however expressly disclaims any representation or warranty, expressed or implied, concerning the data or recommendations, and in no event shall be liable for loss or damage claimed to have arisen as a result of this guide.